

# Legacy

## PVCu Sliding Sash Windows

### Your Details

I am a Homeowner  Trade Customer

Name

Company

Address

Post Code

Tel/Mobile

Email

### Project Details

Collect  Deliver  Required Date (week)

Delivery Address

Post Code

Delivery Contact

Delivery Telephone

Customer Ref

Customer Order No

**Project Type:** New build  Refurbishment

**Please note,** windows and doors are subject to Building Regulations. The regulations changed in 2022 and it's the installer's responsibility to ensure the products are compliant for their intended use where they're installed. Use our specification tool available at [www.quickslide.co.uk/requirement-calculators/](http://www.quickslide.co.uk/requirement-calculators/) to help you understand the product specification required to comply.

### NEW SLIM MIDRAIL



The styling details of our sash windows are now more rooted in history than ever before.

**New 37mm slim midrail available to order now!**

- Authentic Appearance
- Ideal for Conservation
- Timber Alternative

### Legacy Features




Fully Mechanical Joints



Authentic Woodgrains



Run-through Sash Horns



Deep Bottom Rail



Astragal Bars



Weatherbar

### Trickle Vent Options

Please note trickle vents cannot be retrofitted.

#### Modular Vent



External



Internal

#### Link Vent



External



Internal

Modular Vent			
Window Joints	Window Width	No of Modules	Total EA
Welded	390-499mm	1	2000
Fully Mechanical	516-654mm		
Welded	500-634mm	2	4000
Fully Mechanical	655-793mm		
Welded	635-774mm	3	6000
Fully Mechanical	794-931mm		
Welded	775+ mm	4	8000
Fully Mechanical	932+ mm		

Link Vent			
Window Joints	Window Width	Vent Size	Total EA
Welded	410-644mm	Small	2500
Fully Mechanical	594-813mm		
Welded	645+ mm	Large	5000
Fully Mechanical	814+ mm		

**Please note** specific counterbalance systems appear more appropriate for windows of particular sizes and specification, which means some sash windows will be fitted with spiral balances and others with constant force. Spiral balances are available on request.

Tel: 0844 5610 623 | Fax: 0844 5610 624

Email: [sales@quickslide.co.uk](mailto:sales@quickslide.co.uk)

Heaton Estate, Bradford Road, Brighouse, West Yorkshire, HD6 4BW

**QUICK SLIDE**  
WINDOWS & DOORS

Specification 1	Window Colour (Ext/Int)	Features	Hardware	Glazing
<p>Quantity <input type="text"/></p> <p>Location <input type="text"/></p> <p>Width (375-1500mm) <input type="text"/></p> <p>Height (800-3000mm) <input type="text"/></p> <p>Transom Drop From Top <input type="text"/></p> <p>Illustration: <input style="width: 100%; height: 100%;" type="text"/></p> <p><b>Sill</b> Included in overall height</p> <p><input type="checkbox"/> 150mm with up-stand <input type="checkbox"/> 210mm with up-stand <input type="checkbox"/> <b>Welded Sill - Per Weld</b></p> <p><small>Please note, there's <b>no top sash tilt facility</b> on windows with a woodgrain finish external and smooth white internal or dual foils.</small></p>	<p><input type="checkbox"/> Smooth White / Smooth White</p> <p><b>Standard Woodgrains</b></p> <p><input type="checkbox"/> White Grain / White Grain <input type="checkbox"/> White Grain / Smooth White <input type="checkbox"/> Cream Grain / Cream Grain <input type="checkbox"/> Cream Grain / Smooth White <input type="checkbox"/> Ant. Grey Grain / Ant. Grey Grain <input type="checkbox"/> Ant. Grey Grain / Smooth White <input type="checkbox"/> Agate Grey / Agate Grey <input type="checkbox"/> Agate Grey / Smooth White <input type="checkbox"/> Chartw. Green / Chartw. Green <input type="checkbox"/> Chartw. Green / Smooth White <input type="checkbox"/> Golden Oak / Smooth White <input type="checkbox"/> Irish Oak / Smooth White <input type="checkbox"/> Black Grain / Black Grain <input type="checkbox"/> Black Grain / Smooth White <input type="checkbox"/> Rosewood / Smooth White</p> <p><b>Dual Foils</b></p> <p><input type="checkbox"/> Agate Grey / White Grain <input type="checkbox"/> Ant. Grey Grain / White Grain</p> <p><b>Bespoke Colours</b></p> <p><input type="checkbox"/> Bespoke Smooth/Bespoke Smooth <input type="checkbox"/> Bespoke Smooth/White Smooth <input type="checkbox"/> Bespoke Grain/Bespoke Grain <input type="checkbox"/> Bespoke Grain/White Grain <input type="checkbox"/> Bespoke Grain/Smooth White</p> <p>Bespoke Colour Reference: <input style="width: 100%;" type="text"/></p>	<p><input type="checkbox"/> Run-through Sash Horns </p> <p><input type="checkbox"/> <b>NEW Slim Midrail</b> <small>With run-through sash horns only</small> </p> <p><input type="checkbox"/> <b>Fully Mechanical Joints</b> </p> <p><input type="checkbox"/> Deep Bottom Rail</p> <p><input type="checkbox"/> Weatherbar</p> <p><b>Trickle Vent</b></p> <p><input type="checkbox"/> Modular Vent <input type="checkbox"/> Link Vent <input type="checkbox"/> Trickle Vent not required</p> <p><b>Add-ons</b> <small>Included in overall sizes</small></p> <p><input type="checkbox"/> 15mm <input type="checkbox"/> 30mm <input type="checkbox"/> 50mm</p> <p><input type="checkbox"/> Top <input type="checkbox"/> Left <input type="checkbox"/> Right <input type="checkbox"/> External <input type="checkbox"/> Internal</p> <p><input type="checkbox"/> <b>Arched Head</b> <small>Fixed top sash. NA on fully mechanical joints. Solid template required!</small> </p>	<p><b>Hardware Style</b> </p> <p><input type="checkbox"/> Standard <input type="checkbox"/> Heritage <input type="checkbox"/> Locking <input type="checkbox"/> Non-locking</p> <p><b>Hardware Finish</b></p> <p><input type="checkbox"/> White <input type="checkbox"/> Gold <input type="checkbox"/> Chrome <input type="checkbox"/> Satin Silver <input type="checkbox"/> Black <input type="checkbox"/> Brushed Chrome <input type="checkbox"/> Bronze <input type="checkbox"/> Antique Black</p> <p><b>Travel Restrictors</b></p> <p><input type="checkbox"/> White <input type="checkbox"/> Brushed Chrome <input type="checkbox"/> Gold <input type="checkbox"/> Chrome <input type="checkbox"/> Matt Black</p> <p><b>Extra Hardware</b></p> <p><input checked="" type="checkbox"/> Lift Hooks x2 per window <input type="checkbox"/> D-Handles x2 per window <input type="checkbox"/> Pole Eyes x2 per window</p> <p><b>Security Upgrade</b></p> <p><input type="checkbox"/> PAS 24 Upgrade <input type="checkbox"/> High Security Lock only</p> <p><b>Other</b></p> <p><input type="checkbox"/> Fire Escape <input type="checkbox"/> Fixing Brackets <input type="checkbox"/> Bay Poles &amp; Couplers <input type="checkbox"/> Load Bearing Jacking Kits</p>	<p><b>Energy Rating</b> 'A' WER / 1.4W/m<sup>2</sup>K as Standard</p> <p><input type="checkbox"/> Laminated <small>WER: 'A' / 1.4W/m<sup>2</sup>K</small></p> <p style="background-color: #008000; color: white; padding: 2px;"><b>NEW 1.2 U-value</b></p> <p><input type="checkbox"/> 1.2W/m<sup>2</sup>K Thermal Upgrade <small>Not available with laminated glass</small></p> <p><b>Obscure Glass</b></p> <p><input type="checkbox"/> Satin <input type="checkbox"/> Stipple <input type="checkbox"/> Other: <input style="width: 80%;" type="text"/></p> <p><input type="checkbox"/> Top Sash <input type="checkbox"/> Bottom Sash</p> <p><b>Toughened Glass</b></p> <p><input type="checkbox"/> Top Sash <input type="checkbox"/> Bottom Sash</p> <p><b>Spacer Bar</b></p> <p><input type="checkbox"/> Grey <input type="checkbox"/> White <input type="checkbox"/> Black</p> <p><b>Glazing Bars</b></p> <p><input type="checkbox"/> Astragal Bar (Surface) <input type="checkbox"/> Internal Fret</p> <p><b>Bar Layout - please illustrate</b></p> <p><input type="checkbox"/> Single Bar <input type="checkbox"/> Grid* <input type="checkbox"/> Special Layout**</p> <p><input type="checkbox"/> Top Sash <input type="checkbox"/> Bottom Sash</p> <p><small>*Examples (Grid)    **Examples (Special)</small></p>

**Specification 1: Comments**

Specification 2	Window Colour (Ext/Int)	Features	Hardware	Glazing
<p><input type="checkbox"/> <b>Same Specification as #1</b></p> <p>Quantity <input type="text"/></p> <p>Location <input type="text"/></p> <p>Width (375-1500mm) <input type="text"/></p> <p>Height (800-3000mm) <input type="text"/></p> <p>Transom Drop From Top <input type="text"/></p> <p>Illustration: <input style="width: 100%; height: 100%;" type="text"/></p> <p><b>Sill</b> Included in overall height</p> <p><input type="checkbox"/> 150mm with up-stand <input type="checkbox"/> 210mm with up-stand <input type="checkbox"/> <b>Welded Sill - Per Weld</b></p> <p><small>Please note, there's <b>no top sash tilt facility</b> on windows with a woodgrain finish external and smooth white internal or dual foils.</small></p>	<p><input type="checkbox"/> Smooth White / Smooth White</p> <p><b>Standard Woodgrains</b></p> <p><input type="checkbox"/> White Grain / White Grain <input type="checkbox"/> White Grain / Smooth White <input type="checkbox"/> Cream Grain / Cream Grain <input type="checkbox"/> Cream Grain / Smooth White <input type="checkbox"/> Ant. Grey Grain / Ant. Grey Grain <input type="checkbox"/> Ant. Grey Grain / Smooth White <input type="checkbox"/> Agate Grey / Agate Grey <input type="checkbox"/> Agate Grey / Smooth White <input type="checkbox"/> Chartw. Green / Chartw. Green <input type="checkbox"/> Chartw. Green / Smooth White <input type="checkbox"/> Golden Oak / Smooth White <input type="checkbox"/> Irish Oak / Smooth White <input type="checkbox"/> Black Grain / Black Grain <input type="checkbox"/> Black Grain / Smooth White <input type="checkbox"/> Rosewood / Smooth White</p> <p><b>Dual Foils</b></p> <p><input type="checkbox"/> Agate Grey / White Grain <input type="checkbox"/> Ant. Grey Grain / White Grain</p> <p><b>Bespoke Colours</b></p> <p><input type="checkbox"/> Bespoke Smooth/Bespoke Smooth <input type="checkbox"/> Bespoke Smooth/White Smooth <input type="checkbox"/> Bespoke Grain/Bespoke Grain <input type="checkbox"/> Bespoke Grain/White Grain <input type="checkbox"/> Bespoke Grain/Smooth White</p> <p>Bespoke Colour Reference: <input style="width: 100%;" type="text"/></p>	<p><input type="checkbox"/> Run-through Sash Horns </p> <p><input type="checkbox"/> <b>NEW Slim Midrail</b> <small>With run-through sash horns only</small> </p> <p><input type="checkbox"/> <b>Fully Mechanical Joints</b> </p> <p><input type="checkbox"/> Deep Bottom Rail</p> <p><input type="checkbox"/> Weatherbar</p> <p><b>Trickle Vent</b></p> <p><input type="checkbox"/> Modular Vent <input type="checkbox"/> Link Vent <input type="checkbox"/> Trickle Vent not required</p> <p><b>Add-ons</b> <small>Included in overall sizes</small></p> <p><input type="checkbox"/> 15mm <input type="checkbox"/> 30mm <input type="checkbox"/> 50mm</p> <p><input type="checkbox"/> Top <input type="checkbox"/> Left <input type="checkbox"/> Right <input type="checkbox"/> External <input type="checkbox"/> Internal</p> <p><input type="checkbox"/> <b>Arched Head</b> <small>Fixed top sash. NA on fully mechanical joints. Solid template required!</small> </p>	<p><b>Hardware Style</b> </p> <p><input type="checkbox"/> Standard <input type="checkbox"/> Heritage <input type="checkbox"/> Locking <input type="checkbox"/> Non-locking</p> <p><b>Hardware Finish</b></p> <p><input type="checkbox"/> White <input type="checkbox"/> Gold <input type="checkbox"/> Chrome <input type="checkbox"/> Satin Silver <input type="checkbox"/> Black <input type="checkbox"/> Brushed Chrome <input type="checkbox"/> Bronze <input type="checkbox"/> Antique Black</p> <p><b>Travel Restrictors</b></p> <p><input type="checkbox"/> White <input type="checkbox"/> Brushed Chrome <input type="checkbox"/> Gold <input type="checkbox"/> Chrome <input type="checkbox"/> Matt Black</p> <p><b>Extra Hardware</b></p> <p><input checked="" type="checkbox"/> Lift Hooks x2 per window <input type="checkbox"/> D-Handles x2 per window <input type="checkbox"/> Pole Eyes x2 per window</p> <p><b>Security Upgrade</b></p> <p><input type="checkbox"/> PAS 24 Upgrade <input type="checkbox"/> High Security Lock only</p> <p><b>Other</b></p> <p><input type="checkbox"/> Fire Escape <input type="checkbox"/> Fixing Brackets <input type="checkbox"/> Bay Poles &amp; Couplers <input type="checkbox"/> Load Bearing Jacking Kits</p>	<p><b>Energy Rating</b> 'A' WER / 1.4W/m<sup>2</sup>K as Standard</p> <p><input type="checkbox"/> Laminated <small>WER: 'A' / 1.4W/m<sup>2</sup>K</small></p> <p style="background-color: #008000; color: white; padding: 2px;"><b>NEW 1.2 U-value</b></p> <p><input type="checkbox"/> 1.2W/m<sup>2</sup>K Thermal Upgrade <small>Not available with laminated glass</small></p> <p><b>Obscure Glass</b></p> <p><input type="checkbox"/> Satin <input type="checkbox"/> Stipple <input type="checkbox"/> Other: <input style="width: 80%;" type="text"/></p> <p><input type="checkbox"/> Top Sash <input type="checkbox"/> Bottom Sash</p> <p><b>Toughened Glass</b></p> <p><input type="checkbox"/> Top Sash <input type="checkbox"/> Bottom Sash</p> <p><b>Spacer Bar</b></p> <p><input type="checkbox"/> Grey <input type="checkbox"/> White <input type="checkbox"/> Black</p> <p><b>Glazing Bars</b></p> <p><input type="checkbox"/> Astragal Bar (Surface) <input type="checkbox"/> Internal Fret</p> <p><b>Bar Layout - please illustrate</b></p> <p><input type="checkbox"/> Single Bar <input type="checkbox"/> Grid* <input type="checkbox"/> Special Layout**</p> <p><input type="checkbox"/> Top Sash <input type="checkbox"/> Bottom Sash</p> <p><small>*Examples (Grid)    **Examples (Special)</small></p>

**Specification 2: Comments**

### Specification 3

Same Specification as #1

Quantity

Location

Width (375-1500mm)

Height (800-3000mm)

Transom Drop From Top

Illustration:

**Sill**  
Included in overall height

150mm with up-stand  
 210mm with up-stand  
 **Welded Sill - Per Weld**

Please note, there's **no top sash tilt facility** on windows with a woodgrain finish external and smooth white internal or dual foils.

### Window Colour (Ext/Int)

Smooth White / Smooth White

#### Standard Woodgrains

White Grain / White Grain  
 White Grain / Smooth White  
 Cream Grain / Cream Grain  
 Cream Grain / Smooth White  
 Ant. Grey Grain / Ant. Grey Grain  
 Ant. Grey Grain / Smooth White  
 Agate Grey / Agate Grey  
 Agate Grey / Smooth White  
 Chartw. Green / Chartw. Green  
 Chartw. Green / Smooth White  
 Golden Oak / Smooth White  
 Irish Oak / Smooth White  
 Black Grain / Black Grain  
 Black Grain / Smooth White  
 Rosewood / Smooth White

#### Dual Foils


Agate Grey / White Grain  
 Ant. Grey Grain / White Grain


#### Bespoke Colours


Bespoke Smooth/Bespoke Smooth  
 Bespoke Smooth/White Smooth  
 Bespoke Grain/Bespoke Grain  
 Bespoke Grain/White Grain  
 Bespoke Grain/Smooth White

Bespoke Colour Reference:

### Features

Run-through Sash Horns 

**NEW Slim Midrail**  
With run-through sash horns only 

**Fully Mechanical Joints** 

Deep Bottom Rail

Weatherbar

#### Trickle Vent


Modular Vent  
 Link Vent  
 Trickle Vent not required

#### Add-ons

Included in overall sizes


15mm  
 30mm  
 50mm

Top  Left  Right  
 External  Internal

**Arched Head**  
Fixed top sash. NA on fully mechanical joints. Solid template required! 

### Hardware

#### Hardware Style

Standard  Heritage 

Locking  Non-locking

#### Hardware Finish

White  
 Gold  
 Chrome  
 Satin Silver  
 Black  
 Brushed Chrome  
 Bronze  
 Antique Black

#### Travel Restrictors

White  Brushed Chrome  
 Gold  Chrome  
 Matt Black

#### Extra Hardware

Lift Hooks x2 per window  
 D-Handles x2 per window  
 Pole Eyes x2 per window

#### Security Upgrade

PAS 24 Upgrade  
 High Security Lock only

#### Other

Fire Escape  
 Fixing Brackets  
 Bay Poles & Couplers  
 Load Bearing Jacking Kits

### Glazing

#### Energy Rating

'A' WER / 1.4W/m²K as Standard

Laminated  
WER: 'A' / 1.4W/m²K

#### NEW 1.2 U-value

1.2W/m²K Thermal Upgrade  
Not available with laminated glass

#### Obscure Glass

Satin  
 Stipple  
 Other:

Top Sash  Bottom Sash

#### Toughened Glass

Top Sash  
 Bottom Sash

#### Spacer Bar

Grey  White  Black

#### Glazing Bars

Astragal Bar (Surface)  
 Internal Fret

#### Bar Layout - please illustrate

Single Bar  
 Grid\*  
 Special Layout\*\*

Top Sash  Bottom Sash

\*Examples (Grid) \*\*Examples (Special)



### Specification 3: Comments

### Specification 4

Same Specification as #1

Quantity

Location

Width (375-1500mm)

Height (800-3000mm)

Transom Drop From Top

Illustration:

**Sill**  
Included in overall height

150mm with up-stand  
 210mm with up-stand  
 **Welded Sill - Per Weld**

Please note, there's **no top sash tilt facility** on windows with a woodgrain finish external and smooth white internal or dual foils.

### Window Colour (Ext/Int)

Smooth White / Smooth White

#### Standard Woodgrains

White Grain / White Grain  
 White Grain / Smooth White  
 Cream Grain / Cream Grain  
 Cream Grain / Smooth White  
 Ant. Grey Grain / Ant. Grey Grain  
 Ant. Grey Grain / Smooth White  
 Agate Grey / Agate Grey  
 Agate Grey / Smooth White  
 Chartw. Green / Chartw. Green  
 Chartw. Green / Smooth White  
 Golden Oak / Smooth White  
 Irish Oak / Smooth White  
 Black Grain / Black Grain  
 Black Grain / Smooth White  
 Rosewood / Smooth White

#### Dual Foils


Agate Grey / White Grain  
 Ant. Grey Grain / White Grain


#### Bespoke Colours


Bespoke Smooth/Bespoke Smooth  
 Bespoke Smooth/White Smooth  
 Bespoke Grain/Bespoke Grain  
 Bespoke Grain/White Grain  
 Bespoke Grain/Smooth White

Bespoke Colour Reference:

### Features

Run-through Sash Horns 

**NEW Slim Midrail**  
With run-through sash horns only 

**Fully Mechanical Joints** 

Deep Bottom Rail

Weatherbar

#### Trickle Vent


Modular Vent  
 Link Vent  
 Trickle Vent not required

#### Add-ons

Included in overall sizes


15mm  
 30mm  
 50mm

Top  Left  Right  
 External  Internal

**Arched Head**  
Fixed top sash. NA on fully mechanical joints. Solid template required! 

### Hardware

#### Hardware Style

Standard  Heritage 

Locking  Non-locking

#### Hardware Finish

White  
 Gold  
 Chrome  
 Satin Silver  
 Black  
 Brushed Chrome  
 Bronze  
 Antique Black

#### Travel Restrictors

White  Brushed Chrome  
 Gold  Chrome  
 Matt Black

#### Extra Hardware

Lift Hooks x2 per window  
 D-Handles x2 per window  
 Pole Eyes x2 per window

#### Security Upgrade

PAS 24 Upgrade  
 High Security Lock only

#### Other

Fire Escape  
 Fixing Brackets  
 Bay Poles & Couplers  
 Load Bearing Jacking Kits

### Glazing

#### Energy Rating

'A' WER / 1.4W/m²K as Standard

Laminated  
WER: 'A' / 1.4W/m²K

#### NEW 1.2 U-value

1.2W/m²K Thermal Upgrade  
Not available with laminated glass

#### Obscure Glass

Satin  
 Stipple  
 Other:

Top Sash  Bottom Sash

#### Toughened Glass

Top Sash  
 Bottom Sash

#### Spacer Bar

Grey  White  Black

#### Glazing Bars


Astragal Bar (Surface)  
 Internal Fret

#### Bar Layout - please illustrate

Single Bar  
 Grid\*  
 Special Layout\*\*

Top Sash  Bottom Sash

\*Examples (Grid) \*\*Examples (Special)



### Specification 4: Comments